



- KEYED NOTES**
1. SECONDARY VENT PIPE CLEAN FROM UP FRONT WALL CLEANOUT. 2. VENT PIPE UP.
 2. CONNECT NEW 2" VENT PIPE TO EXISTING 4" VENT PIPE BEHIND SERVICE AREA. CONTRACTOR TO VERIFY LOCAL CODES. VERIFY AND REPORT TO CLIENT THE VENT PIPE FROM TO EXISTING BUILDING.
 3. CONNECT NEW 2" SECONDARY VENT TO EXISTING 4" SECONDARY VENT BEHIND SERVICE AREA FROM SERVICE AREA. VERIFY LOCAL CODES. VERIFY AND REPORT TO CLIENT THE VENT PIPE FROM TO EXISTING BUILDING. CONTRACTOR TO VERIFY CLEARANCES FOR VENT THROUGH ROOF AND ACCEPTANCE FROM THE LOCAL AUTHORITY AND LOCAL MECHANICAL INSPECTOR AT THE TIME OF THE PROJECT.
 4. FLOOR TO VENT IS TO BE DONE TO MATCH THE AS-BUILT AS POSSIBLE.
 5. PROVIDE 2" BRASS VALVE FOR WATER WATER DRINK.
 6. EXISTING P.V.C. LINES FOR FUTURE VENT PIPE FOR FUTURE USE.

1 PLUMBING WASTE & VENT FLOOR PLANS LEVEL 1 - SUITE 12
DATE: 07-17-17

HANGAR
 ARCHITECTURE
 1000 17th St, Suite 1000
 Denver, CO 80202
 303.733.1111
 WWW.HANGAR41.COM

DIV
 DESIGN
 1000 17th St, Suite 1000
 Denver, CO 80202
 303.733.1111
 WWW.DIV41.COM

PLAZA 38 - RETAIL A - SUITE 12
 3550 W 38th Ave, Denver, CO 80211

NO.	DESCRIPTION	DATE
1	ISSUED FOR PERMIT	07-17-17
2	ISSUED FOR CONSTRUCTION	07-17-17
3	ISSUED FOR AS-BUILT	07-17-17
4	ISSUED FOR ARCHIVE	07-17-17

P100

PLUMBING WASTE & VENT FLOOR PLAN & ISOMETRIC - SUITE 12