





CURVE TABLE

Stationing	Curve No.	Length (ft)	Radius (ft)	Delta (deg)	Chord (ft)	Offset (ft)
1+00.00 to 1+10.00	1	100.00	100.00	90.00	141.42	0.00
1+10.00 to 1+20.00	2	100.00	100.00	90.00	141.42	0.00
1+20.00 to 1+30.00	3	100.00	100.00	90.00	141.42	0.00
1+30.00 to 1+40.00	4	100.00	100.00	90.00	141.42	0.00
1+40.00 to 1+50.00	5	100.00	100.00	90.00	141.42	0.00
1+50.00 to 1+60.00	6	100.00	100.00	90.00	141.42	0.00
1+60.00 to 1+70.00	7	100.00	100.00	90.00	141.42	0.00
1+70.00 to 1+80.00	8	100.00	100.00	90.00	141.42	0.00
1+80.00 to 1+90.00	9	100.00	100.00	90.00	141.42	0.00
1+90.00 to 2+00.00	10	100.00	100.00	90.00	141.42	0.00

LINE TABLE

Stationing	Curve No.	Length (ft)	Radius (ft)	Delta (deg)	Chord (ft)	Offset (ft)
1+00.00 to 1+10.00	1	100.00	100.00	90.00	141.42	0.00
1+10.00 to 1+20.00	2	100.00	100.00	90.00	141.42	0.00
1+20.00 to 1+30.00	3	100.00	100.00	90.00	141.42	0.00
1+30.00 to 1+40.00	4	100.00	100.00	90.00	141.42	0.00
1+40.00 to 1+50.00	5	100.00	100.00	90.00	141.42	0.00
1+50.00 to 1+60.00	6	100.00	100.00	90.00	141.42	0.00
1+60.00 to 1+70.00	7	100.00	100.00	90.00	141.42	0.00
1+70.00 to 1+80.00	8	100.00	100.00	90.00	141.42	0.00
1+80.00 to 1+90.00	9	100.00	100.00	90.00	141.42	0.00
1+90.00 to 2+00.00	10	100.00	100.00	90.00	141.42	0.00

SHEET 3 of 3
Draper Aden Associates
 CONSULTING ENGINEERS/SURVEYORS
 625 WEST 10TH STREET
 DES MOINES, IOWA 50319
 PROJECT No. P-2008-2

BEAUFONT OAKS COMMUNITY
SECTION III & RESUBDIVISION OF SECTION II

*As per Plat 2008 Page 94
 Book 17, Page 94
 State of Iowa
 11/15/10*

