



floor plan  
SCALE 1/8" = 1'-0"

NOTE: SEE CIVIL AND LANDSCAPE DWG'S FOR ADDITIONAL SITE INFORMATION - TYPICAL

- general notes**
1. FIELD VERIFY ALL DIMENSIONS AND MEASUREMENTS AT SITE. REPORT ANY INCONSISTENCIES TO ARCHITECT AND OBTAIN THEIR RESOLUTION PRIOR TO PROCEEDING.
  2. IT IS THE CONTRACTOR'S RESPONSIBILITY TO HAVE VERIFIED EXISTING JOB-SITE CONDITIONS DURING THE BIDDING PERIOD AND TO HAVE COMPREHENSIVE MATERIAL WHICH MUST BE PROVIDED SO THAT THE INDICATED PROVIDER MAY BE ACCOMPLISHED. ANY AND ALL CHANGES THAT OCCUR FROM DELAY OR CONSTRUCTION SHALL BE REPAIRED TO THE OWNER'S SATISFACTION WITHOUT ADDITIONAL COST TO THE OWNER.
  3. PROPRIETARY PRODUCTS SPECIFIED IN THE PROJECT MANUAL ARE TO GOVERN UNLESS NOTED OTHERWISE IN THE DRAWINGS.

**wall legend**

|   |   |
|---|---|
| A | NORMAL 8" CMU OR CIP CONC. - SEE STRUCT'S DRAWINGS FOR VERTICAL REINFC/CONC. COLUMN LOCATIONS   |
| B | NORMAL 4" METAL STUD PARTITION WITH 1-HOUR FIRE RATING PROVIDE (10-LAYER 5/8" FIRECODE TYPE 'X' CIP BRD EACH SIDE PROVIDE SOUND ATTENUATION MATTS - FULL HT (2L DESIGN NO U443) |
| C | NORMAL 4" METAL STUD PARTITION w/ 10-LAYER 5/8" GYP BRD EACH SIDE   |
| D | NORMAL 4" METAL STUD PARTITION w/ 10-LAYER 5/8" GYP BRD EACH SIDE AND SOUND ATTENUATION MATTS - FULL HT   |

NOTE: SEE SHT AS FOR ADDITIONAL WALL TYPE INFORMATION. SEE ENLARGED PLAN - SHT AS FOR WALL THICKNESS INFORMATION.

NOTE: APPROX. LOCATION OF CURB AND SUPPORT ENCLOSURE SEE CIVIL DWG'S FOR EXACT CONFIGURATION

JOB NO.  
DRAWN BY  
CHECKED BY  
ISSUE DATE  
REVISED  
REVISIONS

SHEET  
A1