



3 2ND FLR PLAN (NORTH)
 SCALE: 1/4" = 1'-0"

PARTITION TYPES

CONSTRUCTION	SYMBOL
3-1/2" MTL STUDS #16/O.C. TO STRUCTURE	◊
5/8" GUB ON	◊
5-1/2" MTL STUDS #16/O.C. TO STRUCTURE	◊
5/8" GUB ON	◊
3-1/2" MTL STUDS #16/O.C. TO CLNG	◊
5/8" GUB ON	◊
3/8" SYNTH STUCCO ON MESH OVER 1" RIGID INSULATION ON EXISTING 5-1/2" CONG. TILT WALL PANEL 3/4" RIGID INSULATION INTERIOR 5/8" GUB FINISH INT. MATERIAL	◊
3/8" SYNTH STUCCO ON MESH OVER 1" RIGID INSULATION OVER 1/2" EXT. SHEATHING ON 3-1/2" MTL STUDS #16/O.C. REFER TO DTLS FOR HEIGHT	◊
3/8" SYNTH STUCCO ON MESH OVER 1" RIGID INSULATION OVER 1/2" EXT. SHEATHING ON 5-1/2" MTL STUDS #16/O.C. REFER TO DTLS FOR HEIGHT	◊
5/8" GUB ON	◊
3-1/2" MTL STUDS #16/O.C. TO STRUCTURE WITH SHUT INSUL TO MEET ONE-HOUR FIRE RATING FOR DESIGN NO. U432	◊



DESIGN NO. U432
 BEARING WALL RATING - 1 HOUR
 NON-BEARING WALL RATING - 1 HOUR
 2004 FIRE RESISTANCE DIRECTORY, PG. 81



1 2ND FLR PLAN (SOUTH)
 SCALE: 1/4" = 1'-0"

FOR REFERENCE ONLY
 FIELD VERIFY SHEET