

EXTRA-HIGH INTENSITY SOIL MAP NOTES

ANY CUTTING, FILLING OR COMPACTION WILL VOID THIS SOIL MAP.

1. MIMOSA SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
2. MIMOSA, ROCKOUTCROP SOILS (AS DEPICTED) DO NOT HAVE SUITABLE SOIL PROPERTIES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
3. BODINE SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
4. DELLROSE SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
5. SYKES SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
6. DELLROSE-HAWTHORNE SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
7. DELLROSE-SYKES SOILS (AS DEPICTED) HAVE SUITABLE SOIL PROPERTIES TO A DEPTH OF 9 INCHES FOR THE INSTALLATION OF A SUBSURFACE DRIP IRRIGATION SEPTIC SYSTEM.
8. MAINTAIN 15' SETBACK FROM FIELD LINES TO 2-DOT DRAINAGEWAY.
9. MAINTAIN 25' SETBACK FROM FIELD LINES TO SINKHOLE.
10. SOIL GRID AREA BY RAGAN SMITH.

I, OREN C. REEDY, AFFIRM THAT THIS SOIL MAP MEETS THE STANDARDS ESTABLISHED IN THE REGULATIONS TO GOVERN SUBSURFACE SEWAGE DISPOSAL, THE SOILS HANDBOOK, AND THE SOIL TAXONOMY. NO OTHER WARRANTIES ARE MADE OR IMPLIED.

SIGNATURE OF SOIL CONSULTANT DOES NOT CONSTITUTE APPROVAL OF THIS MAP BY THE DIVISION OF WATER RESOURCES.


EXTRA-HIGH INTENSITY SOIL MAP COMPLETED BY:

Oren C. Reedy
 OREN C. REEDY, LPSS

8/31/2021
 DATE

ORENREEDY@GMAIL.COM
 670 WILLIAMSON CIRCLE
 SMITHVILLE, TENNESSEE 37166
 PROJECT NO. 2499.101

C: 904-338-7161



DELLROSE
 30-40% slopes

DELLROSE - HAWTHORNE
 30-40% slopes

BODINE
 30-40% slopes

DELLROSE-SYKES
 20-30% slopes

SINKHOLE

DELLROSE-SYKES
 30-40% slopes

MIMOSA
 20-30% slopes

DELLROSE
 30-40% slopes

DELLROSE-SYKES
 30-40% slopes

DELLROSE
 20-30% slopes

SYKES
 30-40% slopes

DELLROSE
 20-30% slopes

DELLROSE
 30-40% slopes

MIMOSA ROCK OUTCROP

MIMOSA ROCK OUTCROP

MIMOSA
 10-20% slopes

MIMOSA ROCK OUTCROP

MIMOSA CEMETERY
 0-9% slopes

