


WALL LEGEND

- INDICATES EXISTING EXTERIOR WALL CONSTRUCTION
- INDICATES EXISTING INTERIOR WALL CONSTRUCTION
- INDICATES EXISTING WALL / ELEMENTS TO BE DEMOLISHED
- INDICATES NEW NON RATED STUD PARTITION:
3 1/2" STEEL STUD CONSTRUCTION (UNO.) @ 16" O.C. WITH 1 LAYER OF TYPE X 5/8" THICK GYPSUM WALL BOARD ON EACH SIDE. EXTEND MIN. 6" ABOVE FINISHED CEILING
- INDICATES NEW SOUND PARTITION:
FILL ENTIRE STUD CAVITY WITH SOUND ATTENUATION BLANKETS. EXTEND ENTIRE ASSEMBLY TO UNDERSIDE OF DECK ABOVE AND SEAL.

SYMBOL LEGEND

- SECTION/ELEVATION DETAIL NO.
- DOOR NUMBER
- EXISTING WINDOW
- ROOM NUMBER
- FINISH SPOT ELEV. (0'-0" = EXISTING)
- INDICATES DIMENSION TO CENTER LINE OF WALL OR COL. LINE
- INDICATES DIMENSION TO FACE OF STUDS OR MASONRY
- WALL THICKNESS - INDICATES THICKNESS OF STUD WALL OTHER THAN TYPICAL
- FIRE EXTINGUISHER - BRACKET MOUNTED
- FIRE EXTINGUISHER - SEMI RECESSED CABINET MOUNTED



GLOBAL CALLCENTER SOLUTIONS, INC.
PROPOSED ALTERATIONS TO COLUMBUS WINN DIXIE
 1100 HUNT AVENUE, COLUMBUS, GEORGIA



s p ARCHITECT, LLC
 4 Bradley Park Court, Suite 30, Columbus, GA 31904
 email: sparchitect@knology.net
 Phone: 706.997.3418

REVISED	01/11/2019
DATE:	12/28/2018
SHEET TITLE:	PARTIAL FLOOR PLAN
SHEET:	A.1
JOB: sp1831	1 OF ??