


PLAN NOTES:

- ① LIGHT POLE BASE, REFER TO DETAIL ME101. CONNECT TO PHOTOCELL CIRCUIT. REFER TO LIGHT FIXTURE SCHEDULE ON SHEET E1.
- ② LIGHT POLE BASE, REFER TO DETAIL ME101. CONNECT TO TIME CLOCK CIRCUIT. REFER TO LIGHT FIXTURE SCHEDULE ON SHEET E1.
- ③ TRANSFORMER PAD, REFER TO DETAIL ME103.
- ④ SIGN, CONNECT TO PHOTOCELL CIRCUIT.

MECHANICAL SITE PLAN
SCALE 1"=20'



PRIMARY ELECTRIC PEDISTAL INSTALLED BY AMSCO. VERIFY EXACT LOCATION AND COORDINATE INSTALLATION OF ELECTRIC SERVICE WITH UTILITY COMPANY.

COORDINATE CATV CONNECTION WITH UTILITY COMPANY. VERIFY EXACT LOCATION IN FIELD PRIOR TO CONSTRUCTION.

COORDINATE TELEPHONE CONNECTION WITH UTILITY COMPANY. VERIFY EXACT LOCATION IN FIELD PRIOR TO CONSTRUCTION.

COORDINATE GAS CONNECTION WITH UTILITY COMPANY. VERIFY EXACT LOCATION IN FIELD PRIOR TO CONSTRUCTION.

VERIFY EXACT LOCATION PRIOR TO CONSTRUCTION.

TEMPORARY TELEPHONE SERVICE LINE. VERIFY EXACT LOCATION PRIOR TO CONSTRUCTION.

2 - 4" TELE. CONDUIT

1" CATV CONDUIT

2 - 3" ELEC. CONDUIT

2 - 3" ELEC. CONDUIT

2 - 4" TELE. CONDUIT

REFER TO SITE UTILITY PLAN FOR STORM LINES

STORM

WATER METER 3" DOMESTIC WATER

COORDINATE WATER CONNECTIONS WITH UTILITY COMPANY. VERIFY EXACT LOCATION IN FIELD PRIOR TO CONSTRUCTION.

6" FIRE PROTECTION

2 - 3" ELEC. CONDUIT

1" CATV CONDUIT

2 - 4" TELE. CONDUIT

2 - 3" ELEC. CONDUIT

KELLE DRIVE