





GROUND FLOOR PLAN & 1/4"=1'-0"

NOTE
GROUND FLOOR IS EXISTING. NO NEW WORK EXCEPT THE COLUMNS AND FOUNDATION PILES ARE TO BE ADDED TO THE EXISTING LIGHTING IN THE STORAGE AREA.




FOOTING SCHEDULE	
NO.	DESCRIPTION
(A)	8" x 8" x 1'-0" 1/2" BENT S.A. WAY
(B)	4" x 4" x 1'-0" 1/2" BENT S.A. WAY

COLUMN SCHEDULE	
NO.	DESCRIPTION
(1)	12" x 12" x 1'-0" 1/2" BENT S.A. WAY
(2)	12" x 12" x 1'-0" 1/2" BENT S.A. WAY
(3)	12" x 12" x 1'-0" 1/2" BENT S.A. WAY
(4)	12" x 12" x 1'-0" 1/2" BENT S.A. WAY

NOTE
STEEL PIPE COLUMNS TO BE CONCRETE FILLED.
BASE PLATES TO HAVE LEVELING NUTS.

STRUCTURAL NOTES
CONCRETE SHALL BE 4000 PSI COMPRESSIVE.
STEEL SHALL BE A36.
REINFORCEMENT SHALL BE #4.
CONCRETE SHALL BE 4000 PSI COMPRESSIVE.
STEEL SHALL BE A36.
REINFORCEMENT SHALL BE #4.
CONCRETE SHALL BE 4000 PSI COMPRESSIVE.
STEEL SHALL BE A36.
REINFORCEMENT SHALL BE #4.



E. ROBERT CULLINEY A.I.A.
A R C H I T E C T
1881 N.E. 26 STREET SUITE 212
FORT LAUDERDALE, FL 33305 (954) 561-3700
AR-4325