


1 FIRST FLOOR REFERENCE PLAN
SCALE: 1/8" = 1'-0"



GENERAL NOTES

- REFER TO SHEET G101 FOR ABBREVIATIONS AND SYMBOLS LEGEND.
- ALL DIMENSIONS ARE FROM FINISHED FACE TO FINISHED FACE UNLESS NOTED OTHERWISE.
- THE CONTRACTOR SHALL NOT SCALE FROM THESE DRAWINGS - ALL DIMENSIONS SHALL BE FIELD VERIFIED. DIMENSIONS SHALL GOVERN THE SCOPE OF CONSTRUCTION:
A. VERIFY ON ARCHITECTURAL DRAWINGS FOR CORRECT LOCATION OF PARTITIONS AND MILLWORK.
B. EXISTING CONDITIONS SUPERSEDE DRAWINGS UNLESS NOTED OTHERWISE. VERIFY WITH ARCHITECT.
- FIELD VERIFY ALL SPECIAL REQUIREMENTS FOR CONSTRUCTION WITH CONSULTANTS AND REPORT ANY DEVIATIONS FROM THE REQUIREMENTS AS LISTED HEREIN TO THE ARCHITECT FOR REVIEW.
- ALL WORK SHALL BE ERRECTED OR INSTALLED PLUMB, LEVEL, SQUARE, TRUE AND IN PROPER ALIGNMENT. ONLY NEW, HIGH QUALITY MATERIALS CONSISTENT WITH BUILDING STANDARD OR EQUAL IN SPECIFICATIONS SHOULD BE USED FOR WORK. ALL STRUCTURAL, MECHANICAL, AND ELECTRICAL WORK SHALL BE DONE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES AND ORDINANCES. ANY DEVIATIONS FROM SUCH CODES SHALL BE BROUGHT TO THE ARCHITECT FOR RESOLUTION.
- ALL DOOR JAMBS TO BE 4 1/2" FROM ADJACENT WALL OR CENTERED IN SPACE UNLESS NOTED OTHERWISE.
- PROVIDE 1X8 MIN BLOCKING FOR ALL WALL-SUPPORTED COUNTERS, CABINETS AND SHELVES. BLOCKING TO BE "NON-COMBUSTIBLE."
- PROVIDE WOOD BLOCKING AS REQUIRED FOR WALL-MOUNTED ACCESSORIES. THESE LOCATIONS CONSISTS OF, BUT ARE NOT LIMITED TO THE FOLLOWING: TOILET ACCESSORIES, TACKBOARDS, HANDRAILS, WALL MOUNTED EQUIPMENT, AND OWNER DESIGNATED EQUIPMENT LOCATIONS.
- SINK LOCATIONS TO BE COORDINATED WITH INTERIOR ELEVATIONS, SEE SHEETS A000.
- ALL PENETRATIONS AT NON-FIRE RATED WALLS SHALL BE SEALED WITH ACOUSTICAL SEALANT.
- REFER TO SHEET A000 FOR PARTITION TYPES.
- ALL AREAS OF SLAB ON GRADE INFILL SHALL TIE INTO AND MATCH THE THICKNESS AND CONSTRUCTION OF THE EXISTING ADJACENT SLAB.

WALL LEGEND

- NEW WALL
- CMU PARTITION
- 1 HOUR WALL
- BULKHEAD
- PARTITION TYPE

KEY NOTE LEGEND

Key Value	Keynote Text
7.01	INFILL OPENING IN EXTERIOR WALL WITH CONSTRUCTION TO MATCH INSULATION VALUE AND CONSTRUCTION TYPE OF THE ADJACENT EXISTING WALL. MATCH INTERIOR AND EXTERIOR FINISHES. INFILL SHALL PROVIDE A SEAMLESS TRANSITION BETWEEN NEW AND EXISTING FINISHES.

AVP Largo ASC

1180 Jasper Street, Largo, FL 33770

PROJ. NO.: 2022-11-038

06-27-2023	ISSUED FOR BID AND PERMIT
10-10-2023	PROPOSAL REQUEST 2
11-15-2023	PROPOSAL REQUEST 3
11-28-2023	PROPOSAL REQUEST 4
12-18-2023	PROPOSAL REQUEST 5
02-21-2024	PROPOSAL REQUEST 6



ECKERT WORDELL

ARCHITECTURE · ENGINEERING · INTERIOR DESIGN
161 East Michigan Ave, Suite 200
Kalamazoo, MI 49007-3907
PHONE: 269.388.7313
FAX: 269.388.7330
WEB: www.eckert-wordell.com
© 2023 Eckert Wordell, LLC

FIRST FLOOR REFERENCE PLAN

1-A110