

# Kurt Stegen Consulting Arborist

Certified Arborist WE-6356A, State Lic. 494115 Office (916) 652-3840

Cell (916) 709-3840 6299 Horseshoe Bar Rd Loomis CA 95650

kurtstegen@sbcglobal.net

Date: April 30, 2018

Location: 7828 Auburn Blvd., Citrus Heights, CA 95610

Tree Number	Botanical Name	Common Name	West 121	North 38	DBH Inches	Drip Line	Height	Number of Trunks	Rating Health	Defects Trunk	Defect Scaffolds	Defects Branches	Comments
1	Quercus lobata	Valley Oak			26	21		1	Fair			Dead Wood	Thinning Canopy
2	Quercus lobata	Valley Oak			20/14/9.5	24		3	Fair	Included Bark		Heavey End Weight	Trim or Remove
3	Quercus lobata	Valley Oak			15.5	23		1	Fair		Included Bark		Reduce End Weight or Remove
4	Quercus lobata	Valley Oak			5.5	6		1	Poor			Dead Wood	Dead Top
5	Quercus lobata	Valley Oak			7.5	10		1	Poor			Dead Wood	Dead Top
6	Quercus lobata	Valley Oak			9	13		1	Fair			Dead Wood	
7	Quercus lobata	Valley Oak			14/7.5	19		2	Fair	Included Bark		Dead Wood	
8	Quercus wislizeni	Live Oak			9	23		1	Fair	Lean			
9	Quercus lobata	Valley Oak			9	17		1	Fair		Dead Wood	Dead Wood	
10	Quercus lobata	Valley Oak			9	13		1	Fair			Dead Wood	
11	Quercus lobata	Valley Oak			6.5	4		1	Poor	Decay			
12	Quercus lobata	Valley Oak			6	11		1	Poor	Decay	Dead Wood		
13	Quercus lobata	Valley Oak			18.5	21		1	Poor	Decay Wound		Dead Wood	
14	Quercus lobata	Valley Oak			7	10		1	Fair				
15	Quercus lobata	Valley Oak			12/10	22		2	Fair	Included Bark			
16	Quercus lobata	Valley Oak			9/9	22		2	Poor	Included Bark	Decay		1 Trunk Removed 1Tree Removed Near Trunk
17	Quercus lobata	Valley Oak			11	21		1	Fair	Dead Wood			
18	Quercus lobata	Valley Oak			15.5	22		1	Fair-				In Decline Internal Growth
19	Quercus wislizeni	Live Oak			10	26		1	Fair	Lean			End Weight
20	Quercus lobata	Valley Oak			6	12		1	Fair				
21	Quercus lobata	Valley Oak			8	13		1	Fair				
22	Quercus lobata	Valley Oak			6/4	8		2	Fair	Included Bark			
23	Quercus	Hybred			15.5	20		1	Fair+	Lean			
24	Quercus wislizeni	Live Oak			44	5		1	Poor/Dead	Dead Decay			Remove
25	Quercus wislizeni	Live Oak			37	38		1	Poor/Fair	Cavity	Dead/Decay		In Creek Bed

Tree Number	Botanical Name	Common Name	West 121	North 38	DBH Inches	Drip Line	Height	Number of Trunks	Rating Health	Defects Trunk	Defect Scaffolds	Defects Branches	Comments
26	Quercus lobata	Valley Oak			7	13		1	Poor/Fair		Poor Structure		
27	Quercus lobata	Valley Oak			35	44		1	Fair				
28	Quercus wislizeni	Live Oak			24	25		1	Fair		Dead		In Creek Bed Poison Oak
29	Quercus wislizeni	Live Oak			18/30	36		2	Poor/Fair	Decay	Dead	Dead	In Creek Bed
30		Dead							Dead				
31	Quercus wislizeni	Live Oak			15	12		1	Poor	Decay	Broken		Leaning
32	Quercus wislizeni	Live Oak			7/8	16		2	Poor	Split			Split Laying on Ground
33	Quercus lobata	Valley Oak			9	12		1	Fair				
34	Quercus lobata	Valley Oak			7/4	16		2	Fair	Included Bark			
35	Quercus wislizeni	Live Oak			6/7/9.5	23		3	Fair-	Included Bark			Trunks Can Split Apart
36	Quercus lobata	Valley Oak			6	16		1	Fair	Included Bark			
37	Quercus lobata	Valley Oak			12.5	19		1	Fair				
38	Quercus lobata	Valley Oak			9	12		1	Fair		Included Bark		
39	Quercus lobata	Valley Oak			14/10	19		2	Fair	Included Bark			
40	Quercus lobata	Vallry Oak			7	8		1	Fair				
41	Quercus lobata	Valley Oak			3.5/5	13		2	Fair-	Included Bark	One Dead		
42	Quercus lobata	Valley Oak			9/9	23		2	Fair-	Included Bark	Included Bark		
43	Quercus wislizeni	Live Oak			9	24		1	Fair-				Understory Leaning
44	Quercus lobata	Valley Oak			11	20		1	Fair				
45	Quercus wislizeni	Live Oak			7/12/14/14/13/9	35		6	Poor/Fair	Included Bark			Crack in Stump Possible Failure
46	Quercus lobata	Valley Oak			8.5/7/3.5	20		3	Fair-	Included Bark		Dead	
47	Quercus lobata	Valley Oak			8	12		1	Fair	Defective			
48	Quercus lobata	Valley Oak			14	17		1	Fair				
49	Quercus wislizeni	Live Oak			17/19/22	40		3	Fair-	Cavity	Lean		In Creek Bed
50	Quercus lobata	Valley Oak			20	36		1	Fair-	Lean			In Creek Bed

Tree Number	Botanical Name	Common Name	West 121	North 38	DBH Inches	Drip Line	Height	Number of Trunks	Rating Health	Defects Trunk	Defect Scaffolds	Defects Branches	Comments
51	Quercus lobata	Valley Oak			21	33		1	Fair+				In Creek Bed
52	Quercus lobata	Valley Oak			31	35		1	Fair-	Ivy			In Creek Bed
53	Quercus douglasii	Blue Oak			32	36		1	Fair				In Creek Bed
54	Quercus douglasii	Blue Oak			23	26		1	Poor/Fair				In Creek Bed
55	Quercus wislizeni	Live Oak			10/5	21		2	Poor/Fair				In Creek Bed
56	Quercus douglasii	Blue Oak			26	26		1	Poor/Fair				In Creek Bed
57	Quercus wislizeni	Live Oak			12	17		1	Poot				In Creek Bed
58	Quercus douglasii	Blue Oak			31	35		1	Fair-	Undermined	Decay		In Creek Bed
59	Quercus lobata	Valley Oak			10/4/5.5	19		3	Fair-				Understory
60	Quercus lobata	Valley Oak			8	19		1	Fair		Dead		
61	Quercus lobata	Valley Oak			7.5	18		1	Fair		Dead		
62	Quercus lobata	Valley Oak			9	13		1	Fair	Decay		Dead	
63	Quercus lobata	Valley Oak			15.5	24		1	Fair-			Decline Dead	
64	Quercus lobata	Valley Oak			4.5/3	5		2	Fair/Good				
65	Quercus lobata	Valley Oak			6/4.5	11		2	Fair	Included Bark			
66	Quercus lobata	Valley Oak			6/3/5	12		3	Fair	Included Bark			
67	Quercus lobata	Valley Oak			4/4	10		2	Fair	Included Bark			
68	Quercus lobata	Valley Oak			9	15		1	Poor	Decay	Decay		
69	Quercus lobata	Valley Oak			12	15		1	Poor/Fair	Split	Dead		
70	Quercus lobata	Valley Oak			27	18		1	Fair-	Die Back	Dead		
71	Quercus wislizeni	Live Oak			9/8/9	24		3	Poor/Fair	Included Bark Fencing			Possible Trunk Failure On Property Line
72	Quercus lobata	Valley Oak			15	16		1	Fair				On Property Line
73	Quercus wislizeni	Live Oak			26	28		1	Fair-				Heavy End Weight Trim Back Neighboring Property Permission Required
74	Quercus lobata	Valley Oak			16	18		1	Fair-				Roots Compromised by Infrastructure
75	Quercus lobata	Valley Oak			18.5/5	22		2	Fair-				Roots Compromised by Infrastructure