



1	10/10/92	FIELD RESEARCH
2	10/10/92	CITY CHARTERS
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

1 OF 4

[illegible]

A key plan diagram showing the layout of the site. It features two buildings, BLDG 1 and BLDG 2, with their respective room numbers. BLDG 1 is at the top, containing rooms 0, 5, 3, and 704. BLDG 2 is at the bottom, containing rooms 5, 2, 4, 3, 2, and 705. A north arrow is located at the bottom right of the plan.



TENANT FINISH FOR:
PAYTAS HOMES
794 SANDERS ROAD, SUITE
PORT ORANGE, FL.

[illegible]




000000 000000

1. THE STATE OF TEXAS
COUNTY OF EL PASO

DATE REC.

41 OF 5

RESULTS



PANEL BOARD B							
WCR	NO. RACKS	VOLTAJE	NO. DE FASES	NO. DE			
CAT. NO.		NO. DE		SIM. AND. (CIRCU)			
NO. DE	SUBCATE.	NO. DE		GRAN. RACKS			
CT							
NO.	ELEMENTO	NO.	CT	IMP.	NO.	CT	IMP.
1	SW	2	30	210	1/2"		
2	SW	2	30	210	1/2"		
3	SW	1	30	210	1/2"		
4	SW	1	30	210	1/2"		
5	SW	1	30	210	1/2"		
6	SW	1	30	210	1/2"		
7	SW	1	30	210	1/2"		
8	SW	1	30	210	1/2"		
9	SW	1	30	210	1/2"		
10	SW	1	30	210	1/2"		

ELECTRICAL LEGEND

	EMERGENCY EXIT LIGHT
	FIRE EXTINGUISHER LOCATION
	EXIT LIGHT PER DOOR
	LIGHT FIXTURE
	DOUBLE DOORWAY
	GROUND FAULT INTERRUPTER
	SWITCH
	TELEPHONE
	REFRIGERATOR
	WALL MOUNT PANELBOARD
	EMERGENCY FIRE EXIT DOOR
	A/C DISCONNECT
	LOW BAY W/H. HANDLE








ELECTRICAL NOTES

1. ALL ELECTRICAL WORK SHALL CONFORM TO APPLICABLE PROVISIONS OF THE NEC, NEC CODES AND LOCAL ORDINANCES.
2. ALL EQUIPMENT, DEVICES AND MATERIALS SHALL BE UL APPROVED AND LABELED.
3. ALL ELECTRICAL PANELS SHALL BE 125 AMP, 240VAC 1-PHASE.
4. ALL SAFETY DISCONNECT SWITCHES SHALL BE USED ON NON-FUSED POWER-TOO.
5. WHEN ALL EXTENSION CABLES ARE COMPLETED IN PLACE AND ALL SYSTEMS ARE TESTED AND APPROVED BY THE OWNER, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL CABLES.
6. ALL WIRING IN CONCEALED SPACES SHALL BE SHUT ON ELECTRICAL PLASTIC CONDUIT.

HVAC NOTES

1. ALL WORK MUST BE SUBJECT TO APPROVAL/REVIEW OF EEC AND ELEC ENGINEERS AND ELEC. WORK EVIDENCE BEING USED FOR PROOF OF WORK.
2. ALL EQUIPMENT AND DEVICES ARE IN AN APPROVED STATE.
3. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
4. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
5. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
6. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
7. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
8. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
9. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.
10. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE EEC'S.



[illegible]

