

**1 FLOOR PLAN**  
SCALE: 1/4" = 1'-0"

**WALL TYPE SCHEDULE**


TYPE	DESCRIPTION
A	EXISTING 1 HR RATED DEMISING WALL PER UL-1419. 6" 18 GA METAL STUDS FROM FLOOR TO DECK @ 16" O.C. WITH 5/8" TYPE X GYPSUM BOTH SIDES. 3" MINERAL WOOL OR FIBER INSULATION. FIRE TAPE JOINTS & FIRE CAULK OPENINGS AT DECK. REF DTL 08/A402
A1	3 5/8" 18 GA METAL STUDS FROM FLOOR TO DECK @ 16" O.C. WITH TWO (2) LAYERS OF 5/8" GYPSUM ON TENANT SIDE & 1" AIR GAP ON OPPOSITE SIDE. 3" MINERAL WOOL OR FIBER INSULATION. SOUND TAPE JOINTS. SOUND CAULK OPENINGS AT DECK. REF DTL 08/A402
B	3 5/8" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM BOTH SIDES TO DECK WITH BATT INS FULL DEPTH OF STUD.
B1	6" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM BOTH SIDES TO DECK WITH BATT INS FULL DEPTH OF STUD.
B2	3 5/8" METAL STUDS @ 16" O.C. TO DECK WITH 5/8" GYPSUM ON ONE SIDE WITH BATT INS FULL DEPTH OF STUD.
B3	6" METAL STUDS @ 16" O.C. TO DECK WITH 5/8" GYPSUM ON ONE SIDE WITH BATT INS FULL DEPTH OF STUD.
C	3 5/8" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON BOTH SIDES.
C1	6" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON BOTH SIDES.
C2	3 5/8" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON ONE SIDE.
C3	6" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON ONE SIDE.
D	2" METAL FURRING STUDS WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON ONE SIDE.
E	(2) 3 5/8" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING BOTH SIDES. REF DTL 16/A402
E1	3 5/8" METAL STUDS @ 16" O.C. WITH 5/8" GYPSUM TO 6" ABOVE CEILING BOTH SIDES. REF DTL 16/A402
F	1 5/8" METAL FURRING STUDS WITH 5/8" GYPSUM TO 6" ABOVE CEILING ON ONE SIDE.
L	LOW WALL CONST 3 5/8" METAL STUDS @ 8" O.C. WITH 5/8" GYPSUM BOTH SIDES. REF DTL 5/A402

- WALL TYPE NOTES:**
- ALL WALLS EXTENDING TO DECK UTILIZE A SLIP TRACK TO ALLOW FOR A MINIMUM OF 3/4" VERTICAL MOVEMENT.
  - AT ALL WALL TYPES, PROVIDE TILE BACKER BOARD WHERE WET WALLS OCCUR. BACKER BOARD SHALL BE HEIGHT OF TILE FINISH SHOWN ON ELEVATIONS.
  - ALL WALLS RECEIVING GRAPHICS, AS SHOWN ON A112, SHALL RECEIVE LEVEL 5 FINISH. ALL OTHER WALLS SHOULD RECEIVE LEVEL 4 SMOOTH FINISH, TO BE DETERMINED IN FIELD BY CM.
  - ALL WALLS EXTENDING ABOVE 13'-0" SHALL BE FRAMED WITH 18 GA METAL FRAMING.
  - WALLS AT MOP SINK TO RECEIVE FRP PER 5/A402.

**GENERAL NOTES:**

- PROVIDE (1) ONE FIRE EXTINGUISHER PER 3,000 SF. VERIFY WITH LOCAL FIRE MARSHAL FOR TYPE AND FINAL LOCATIONS PRIOR TO INSTALLATION.
- REFER TO KEY PLANS FOR INTERIOR ELEVATION KEYS ON INTERIOR ELEVATION SHEETS.
- ALL WOOD BLOCKING TO BE FIRE RETARDANT TREATED TYPICAL.
- INTERIOR FRAMING TO BE MIN 22 GA METAL FRAMING AT 16" OC UNLESS NOTED OTHERWISE. ALL FRAMING TO BE 3/8" METAL FRAMING UNLESS NOTED OTHERWISE. IF APPLICABLE, REFER TO STRUCTURAL NOTES FOR ADDITIONAL FRAMING INFORMATION.
- GC TO INSULATE BEHIND ALL PLUMBING IN EXTERIOR WALLS TYPICAL.
- ALL DIMENSIONS TO FACE OF FINISH UNLESS NOTED OTHERWISE.
- INTERIOR "HOLD" OR "CLEAR" DIMENSIONS ARE FINISH DIMENSIONS.
- REFER TO ELECTRICAL DRAWINGS FOR OUTLET HEIGHTS. USE G.F.I. OUTLETS WHERE REQUIRED BY CODE.
- REFER TO OWNER'S VENDOR FOR INTERIOR SIGNAGE SCOPE.
- ALL INTERIOR DOOR FRAMES SHALL BE SET AT 4" FROM ADJACENT PERPENDICULAR PARTITION UNLESS NOTED OTHERWISE OR DIMENSIONED.
- CONTRACTOR SHALL PERFORM SITE VISIT & VERIFY ALL EXISTING CONDITIONS BEFORE PROVIDING PRICING & PRIOR TO ANY CONSTRUCTION. CONTRACTOR SHALL NOTIFY ARCHITECT OF ANY DISCREPANCIES BETWEEN THESE DRAWINGS AND EXISTING SITE CONDITIONS IMMEDIATELY UPON DISCOVERY AND SHALL OBTAIN WRITTEN DIRECTION BEFORE COMMENCING CONSTRUCTION OF ANY ITEMS IN QUESTION.
- GC TO ENSURE 2% SLOPE TO DRAIN AT ALL SHOWERS.

**LEGEND:**



**GH A**  
Architecture/Development

14901 Quorum Drive  
Suite 300  
Dallas, Texas 75254

Ph: (972) 239-8884  
Fax: (972) 239-5054

OCT 11 2017

**CYCLEBAR**

TENANT FINISHOUT  
GLENBROOK SHOPPING CENTER  
1050 GLENBROOK WAY, SPACE #110  
HENDERSONVILLE, TN 37075

**CYCLEBAR**

DO NOT SCALE DRAWINGS  
CONTRACTOR TO VERIFY  
ALL EXISTING CONDITIONS AND  
DIMENSIONS-NOTIFY ARCHITECT  
OF ANY DISCREPANCIES PRIOR  
TO BEGINNING CONSTRUCTION

NO.	REVISION

ISSUE

PROJECT NUMBER  
**C170340**

SHEET NUMBER

**A101**