



WALL LEGEND

- INDICATES EXISTING EXTERIOR WALL CONSTRUCTION
- INDICATES EXISTING INTERIOR WALL CONSTRUCTION
- INDICATES EXISTING WALL / ELEMENTS TO BE DEMOLISHED
- INDICATES NEW NON RATED STUD PARTITION:
3/8" STEEL STUD CONSTRUCTION (UNO.) @ 16" O.C. WITH 1 LAYER OF TYPE X 5/8" THICK GYPSUM WALL BOARD ON EACH SIDE. EXTEND MIN. 6" ABOVE FINISHED CEILING
- INDICATES NEW SOUND PARTITION:
FILL ENTIRE STUD CAVITY WITH SOUND ATTENUATION BLANKETS. EXTEND ENTIRE ASSEMBLY TO UNDERSIDE OF DECK ABOVE AND SEAL.

SYMBOL LEGEND

- SECTION/ELEVATION
DETAIL NO.
- DOOR NUMBER
- EXISTING WINDOW
- ROOM NUMBER
- FINISH SPOT ELEV. (Ø'-Ø" = EXISTING)
- INDICATES DIMENSION TO CENTER LINE OF WALL OR COL. LINE
- INDICATES DIMENSION TO FACE OF STUDS OR MASONRY
- WALL THICKNESS - INDICATES THICKNESS OF STUD WALL OTHER THAN TYPICAL
- FIRE EXTINGUISHER - BRACKET MOUNTED
- FIRE EXTINGUISHER - SEMI RECESSED CABINET MOUNTED

1 OVERALL FLOOR PLAN
 SCALE: 1/16" = 1'-0"
 0' 8' 16' 32'

GLOBAL CALLCENTER SOLUTIONS, INC.
PROPOSED ALTERATIONS TO COLUMBUS WINN DIXIE
 1100 HUNT AVENUE, COLUMBUS, GEORGIA



SP ARCHITECT, LLC
 4 Bradley Park Court, Suite 303, Columbus, GA 31904
 email: sparchitect@knowledge.net
 Phone: 704.997.3418

REVISED	01/11/2019
DATE:	12/28/2018
SHEET TITLE:	OVERALL FLOOR PLAN
SHEET:	A1.0
JOB: sp1831	1 OF ??