
Pine Street Assessment

1 message

Mitchell Feller <thetreefeller@gmail.com>
To: Mitchell Feller <thetreefeller@gmail.com>

Sun, Jan 4, 2026 at 7:48 PM

The undersigned has examined a Grand Live Oak tree (*Quercus virginiana*) located at 208 Pine Street, Clearwater, Florida, and made the following observations.

1. The tree has a Diameter of Breast Height (DBH) of approximately 48 inches and an overall height of 60 feet. The tree is located in the front of the property and has multiple first order branches that extend over the structure and roadway. The tree has been directionally pruned over the years due to power lines that traverse the middle of the canopy. The tree is appropriately foliated and has very little dieback on the outer edges of the canopy. The tree exhibits some deadwood and overextended branches with some extra load on the ends of secondary branches. No stress fractures, open cavities or included bark was noted. The tree does not have full wind exposure as there are other trees surrounding it of same size. It is in the opinion of the undersigned that this tree is healthy and with structural pruning to remove hazardous deadwood, weight reduction pruning cuts on the overextended branches, poses no hazard to the structure at this time.
2. The methodology utilized to conduct this tree risk assessment was a Visual Tree Assessment (VTA). Pursuant to this VTA the tree was assessed by visual inspection of the foliage, first and second order branches, the trunk and those portions of the root system that are visible. Observed debilitating factors such as structural defects, decay, insect infestation, disease, declining health, and nutritional deficiencies are also considered.

Mitch Feller
ISA Certified Arborist
ISA Tree Risk Assessment Qualification (TRAQ)
ISA Prescription Pruning Certified (PPQ)





THE TREE FELLER



Licensed & Insured
865 Fay Avenue • Largo, FL 33771

(727) 348-2768

Email: thetreefeller@gmail.com

"Specializing in All Types of Tree Care Services"

- CROWN REDUCTION
- NATURAL PRUNING
- REMOVAL
- TRIMMING
- PROBLEM BRANCHES
- STUMP GRINDING

NAME Sam

DATE 12/17/25

ADDRESS 208 Pine Str.

PHONE 585-507-2400

CITY Ciw ZIP _____

FAX Sam.a.stolte@gmail.com

QUANTITY			DESCRIPTION	AMOUNT			
Remove	Thin	Trim		FRT YD	SIDE L	SIDE R	BACK YD
			Structural Pruning on mature Live Oak				3500 00
<p><i>paid in full</i> <i>1/3/26</i> <i>M</i></p>							
			Job Cleanup & Removal Included				TOTAL

IF CONTRACTING FOR STUMP REMOVAL, STUMP HOLE WILL BE FILLED WITH CHIPS AND EXCESS CHIPS LEFT ON SITE.

By signing below, I have read and agree to the terms described on the back of this contract.

Authorized Signature *Samuel Stolte*

Balance Due Upon Completion _____

IF SERVICES ARE CONTRACTED, PLEASE PAY FROM THIS INVOICE NO STATEMENT WILL BE RENDERED