

FLOOR PLAN
SCALE: 1/4" = 1'-0"

PLUMBING/TOILET ROOM KEY NOTES

1. 24"x36" WALL MOUNTED MIRROR ABOVE LAV
2. ADA COMPLIANT TOILET ROOM SIGNAGE RE: DETAIL 3 A-2 NOTE DOOR TO BACK ROOM TO HAVE SIGNAGE INDICATING ADA TOILET BEYOND.
3. WALL HUNG LAV
4. EXHAUST FAN, SWITCH AT DOOR
5. 18" VERT GRAB BAR
6. 36" GRAB BAR AT 34" AFF
7. 42" GRAB BAR AT 34" AFF
8. TOILET PAPER DISPENSER

G.C. TO BUILD NEW HANDICAPPED ACCESS TOILET ROOM AT EXISTING PLUMBING ROUGH-IN. PROVIDE ALL NEW FIXTURES PER SPECIFICATIONS W/ ALL NEW ACCESSORIES.



1 A-2 RESTROOM ELEVATION
SCALE: 3/8" = 1'-0"



2 A-2 RESTROOM ELEVATION
SCALE: 3/8" = 1'-0"



NOTE: SIGNS SHALL COMPLY WITH THE FOLLOWING APPLICABLE PROVISIONS.

1. CHARACTER PROPORTION, LETTERS AND NUMBERS ON SIGNS SHALL HAVE A WIDTH-TO-HEIGHT RATIO BETWEEN 3:5 AND 1:1 AND STROKE-WIDTH-TO-HEIGHT RATION BETWEEN 1:5 AND 1:10 (ADAAG 4.30.2)

2. CHARACTER HEIGHT. CHARACTERS AND NUMBERS ON SIGNS SHALL BE SIZED ACCORDING TO VIEWING DISTANCE FROM WHICH THEY ARE TO BE READ. THE MINIMUM HEIGHT IS MEASURED USING AND UPPER CASE X. MIN. CHARACTER HEIGHT IS TO BE 3".

3. RAISED AND BRAILLED CHARACTERS AND PICTORIAL SYMBOL SIGNS. LETTERS AND NUMERALS SHALL BE RAISED 1/32IN. UPPER CASE, SANS SERIF OR SIMPLE SERIF TYPE AND SHALL BE ACCOMPANIED WITH GRADE 2 BRAILLE. RAISED CHARACTERS SHALL BE AT LEAST 5/8 IN HIGH BUT NO HIGHER THAN 2 IN. PICTOGRAMS SHALL BE ACCOMPANIED BY THE EQUIVALENT VERBAL DESCRIPTION PLACED DIRECTLY BELOW THE PICTOGRAM. THE BORDER DIMENSION OF THE PICTOGRAM SHALL BE 6 IN. MIN.

4. FINISH AND CONTRAST. THE CHARACTERS AND BACKGROUND OF SIGNS SHALL BE EGGSHELL, MATTE, OR OTHER NON GLARE FINISH. CHARACTERS AND SYMBOLS SHALL CONTRAST WITH THEIR BACK GROUND, EITHER LIGHT CHARACTERS ON DARK BACK GROUND OF VIS VERSA.

3 A-2 ADA SIGN DETAIL
SCALE: 1-1/2" = 1'-0"



LEGEND
(EX) EXISTING FIXTURE
(ER) EXISTING RELOCATED
(N) NEW FIXTURE

CEILING PLAN
SCALE: 1/4" = 1'-0"

Architects - Planners
Dawdy & ASSOCIATES, INC.
40 Meadowbrook Country Club Estates
Phone (314) 434-0700
Ballwin, Missouri 63011
E-Mail: tdawdy@dawdyassociates.com
Missouri Certificate of Authority #A-967-D
© COPYRIGHT 2023

TENANT IMPROVEMENTS FOR:
BELL -BROWN MEDICAL INSTITUTE
149 ARNOLD CROSSROADS CENTER
ARNOLD, MISSOURI 63010

SEAL:
Terry L. Dawdy-Architect
License No.: A-4491

REVISION No.	
ISSUE DATE: 11-07-23	PROJECT No. 23537

A-2