




LIMIT OF WORK

NEW WALL - SEE WALL TYPES

EXISTING WALL TO REMAIN

EXISTING WALL TO BE REMOVED.

NEW 1 HR RATED WALL
SEAL ALL PENETRATIONS

NEW 2 HR RATED WALL
SEAL ALL PENETRATIONS

11	32	160	PERSONS EXIT ALLOW
----	----	-----	--------------------

THE SCOPE OF THIS WORK IS THE TO MAKE MINOR CHANGES TO THE EXISTING OFFICE LAYOUT WITHOUT AFFECTING ANY EXITS, EXIT CAPACITIES. WORK WILL DIVIDE THE EXISTING SPACE INTO TWO SUITES IN LIEU OF A SINGLE OFFICE SUITE.

MAXIMUM EXIT SEPARATION DISTANCE MINIMUM OF 1/2 THE MAXIMUM OVERALL DIAGONAL DIMENSION OF AREA SERVED (NON-SPRINKLERED); 1/3 IF SPRINKLERED

DEFERRED SUBMITTALS

THE FOLLOWING ITEMS ARE VENDOR DESIGNED AND SUBMITTALS FOR REVIEW WILL BE SUBMITTED AS VENDORS ARE SELECTED AND THEIR DESIGN DRAWINGS ARE PROVIDED.

1. THERE ARE NO DEFERRED SUBMITTALS

DATE: 12-07-2021

**SUITE
210**

