

Property Address 40 Church St, Laconia, NH 03246



NH CIBOR

Mandatory New Hampshire Real Estate Disclosure & Notification Form



1) NOTIFICATION RADON, ARSSENIC AND LEAD PAINT: Pursuant to RSA 477: 4-a, the SELLER hereby advises the BUYER of the following:

RADON : Radon, the product of decay of radioactive materials in rock, may be found in some areas of New Hampshire. Radon gas may pass into a structure through the ground or through water from a deep well. Testing of the air by a professional certified in radon testing and testing of the water by an accredited laboratory can establish radon's presence and equipment is available to remove it from the air or water.

ARSENIC: Arsenic is a common groundwater contaminant in New Hampshire that occurs at unhealthy levels in well water in many areas of the state. Tests are available to determine whether arsenic is present at unsafe levels, and equipment is available to remove it from water. The buyer is encouraged to consult the New Hampshire department of environmental services private well testing recommendations (www.des.nh.gov) to ensure a safe water supply if the subject property is served by a private well.

LEAD PAINT: Before 1977, paint containing lead may have been used in structures. The presence of flaking lead paint can present a serious health hazard, especially to young children and pregnant women. Tests are available to determine whether lead is present.

2) DISCLOSURE FOR WATER SUPPLY AND SEWAGE DISPOSAL: Pursuant to RSA 477:4-c & d, the SELLER hereby provides the BUYER with information relating to the water and sewage systems:

WATER SUPPLY SYSTEM

Type: City of Laconia
 Location: _____
 Malfunctions: _____
 Date of Installation: _____
 Date of most recent water test: _____
 Problems with system: _____

Not Known

SEWERAGE DISPOSAL SYSTEM

Size of Tank: _____
 Type of system: City of Laconia
 Location: _____
 Malfunctions: _____
 Age of system: _____
 Date most recently serviced: _____
 Name of Contractor who services system: _____

Not Known

Property Address 40 Church St, Laconia, NH 03246

3) INSULATION: Is the Property currently used or proposed to be used for a 1 to 4 family dwelling?

Yes ☐ No ☒ *N/A*

If yes, the SELLER hereby provides the BUYER with information relating to insulation:

Location(s): _____

Type: _____

4) LEAD PAINT: Was the property construction prior to 1978 and is the Property or any part of the Property used for residential dwelling(s) or special uses that would require the Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards form under federal law?

Yes ☐ No ☒ *not used for residential dwelling*

If yes, has the Federal Lead Addendum been attached? And has the Federal pamphlet been delivered.

Yes ☐ No ☐

5) METHAMPHETAMINE PRODUCTION: Do you have knowledge of methamphetamine production ever occurring on the property? (Per RSA 477:4-g)

Yes ☐ No ☒

If Yes, please explain: _____

6) SITE ASSESSMENT ON WATERFRONT PROPERTY:

Does the Property use a septic disposal system?

Yes ☒ No ☒

If yes, is a Site Assessment Study for "Developed Waterfront" required pursuant to RSAs 485-A:2 and 485-A:39?

Yes ☐ No ☒

If yes, has the SELLER engaged a permitted subsurface sewer or waste disposal system designer to perform a site assessment study to determine if the site meets the current standards for septic disposal systems established by the Department of Environmental Services?

Yes ☐ No ☐

7) CONDOMINIUM: Pursuant to RSA 477:4-f, is the property a condominium?

Yes ☐ No ☒

If the property is a condominium, BUYER has the right to obtain the information in RSA 356 - B58 I from the condominium unit owners' association. Such information shall include a copy of the condominium declaration, by-laws, any formal rules of the association, a statement of the amount of monthly and annual fees, and any special assessments made within the last 3 years.

Property Address 40 Church St, Laconia, NH 03246

8) RENEWABLE ENERGY IMPROVEMENTS

Is this property subject to a Public Utility Tariff Pursuant to RSA 374:61?

Yes ☐ No ☐ Unknown ☒

If yes than SELLER shall disclose, if known:

Remaining Term: _____

Amount of Charges: _____

Any Estimates or Documentation of the Gross or Net Energy or Fuel Savings _____

9) SELLER LICENSEE

Pursuant to RSA 331 A:26 XXII, is the Seller (or any owner, direct or indirect) of this property a real estate licensee in the state of New Hampshire:

Yes ☐ No ☒

10) ASBESTOS DISPOSAL: Does Property include an asbestos disposal site?

Yes ☐ No ☐ Unknown ☒

If yes, then disclosure is required pursuant to RSA 141-E:23.

11) PROPERTY ADDRESS:

Address: 40 Church St, Laconia, NH 03246

Unit Number (if applicable): _____

Town: Laconia

SELLER

Roman Catholic Bishop Of Manchester, a corporation sole

+ *Arthur Lelasi*

SELLER

Date

8/19/2026

Date

The BUYER(S) hereby acknowledge receipt of a copy of this disclosure prior to the execution of the Purchase and Sale Agreement to which this is appended.

BUYER

Date

BUYER

Date

DISCLOSURE OF INFORMATION ON LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS FOR HOUSING SALES



This Disclosure Form is from the National Lead Information Center under the United States Environmental Protection Agency. This is not a New Hampshire Association of REALTORS® form.

Property Address: 40 Church St, Laconia, NH 03246

LEAD WARNING STATEMENT

Every purchaser of any interest in residential property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):

(i) ☐ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

(ii) ☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the seller (check (i) or (ii) below):

(i) ☐ Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

(ii) ☐ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Purchaser's Acknowledgement (initial)

(c) ☐ Purchaser has received copies of all information listed above. *N/A*

(d) ☐ Purchaser has received the pamphlet *Protect Your Family from Lead in Your Home*. *N/A*

(e) Purchaser has (check (i) or (ii) below): *N/A*

(i) ☐ received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

(ii) ☐ waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgement (initial)

(f) ☒ Agent has informed the seller of the seller's obligations under 42 U.S.C. 4852d and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

+ Christopher Lebrun *8/19/2026*
Seller Date

Purchaser Date

Leitha Reilly dotloop verified 08/21/26 12:46 PM EDT 5ZBT-Y60M-74C4-5Y4P
Agent Date

Kristine LaPorte dotloop verified 08/27/26 8:43 AM EDT 0QT2-HGW7-PGHV-VC2W
Agent Date

Seller Date

Purchaser Date

Agent Date