



DOOR AND FRAME SCHEDULE											
MARK	DOOR			FRAME			FIRE RATING	SET NO	HARDWARE	NOTES	
	WD	HGT	THK	MATL	GLAZING	WD HGT					EL
01	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	EXISTING
02	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	EXISTING TO BE DELETED/ LOCKED
03	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	CURBMAN PER OWNER
04	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
05	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
06	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	NO CLOSER
07	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
08	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
09	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
10	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---
11	3'-0"	6'-8"	1 3/4"	---	---	0"	---	---	---	---	---

2 PROPOSED FLOORPLAN
1/4" = 1'-0"





* CONTRACTOR TO SITE VERIFY ALL MEASUREMENTS

2 DEMOLITION PLAN
1/8" = 1'-0"




4 REFLECTED CEILING PLAN
1/8" = 1'-0"




- HARDWARE GROUPS LEVER HANDED HARDWARE UNLESS OTHERWISE NOTED
- ENTRY/EXIT
 - PUSH/PULL
 - EXIT PANIC BAR W/ ABILITY TO DISABLE IN UNLOCKED POSITION
 - CLOSER
 - PRIVACY
 - HANDLE LATCH
 - PUSH BUTTON LOCK
 - CLOSER
 - ALWAYS RELEASE FROM INTERIOR
 - KICKPLATES


7 ACCESSIBLE RESTROOM ELEVATION
1/4" = 1'-0"




5 ACCESSIBLE RESTROOM ELEVATION
1/4" = 1'-0"




6 ACCESSIBLE RESTROOM ELEVATION
1/4" = 1'-0"




8 ACCESSIBLE RESTROOM ELEVATION
1/4" = 1'-0"




12 PRIVATE SHOWER ELEVATION
1/4" = 1'-0"



11 PRIVATE SHOWER ELEVATION
1/4" = 1'-0"



9 FRONT FEATURE WALL AT RECEPTION
1/4" = 1'-0"



10 CABINRY ELEVATIONS IN FACIAL ROOMS
1/4" = 1'-0"



ROOM NUM	ROOM NAME	FLOOR	BASE	WALLS			CEILING	NOTES
			N	E	S	W	MATL	HEIGHT
001	RECEPTION / WAITING	CI	CI	PI	PI	PI	---	---
002	RECEPTION SERVICES	CI	PI	PI	PI	PI	---	EXISTING OPEN CEILING
003	HAIR WASH	CI	PI	PI	PI	PI	---	EXISTING OPEN CEILING
004	HAIR WASHING	CI	PI	PI	PI	PI	---	EXISTING OPEN CEILING
005	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
006	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
007	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
008	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
009	OFFICE / STAFF	CI	CI	PI	PI	PI	---	---
010	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
011	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"
012	RESTROOM	CI	PI	PI	PI	PI	ACT	9'-0"

PROJECT SCOPE
 INTERIOR FINISH OF AN EXISTING B OCCUPANCY TO ACCOMMODATE A B OCCUPANCY

ZONING REVIEW
 ZONING CDC/CBD PARKING UNDER CENTRAL BUSINESS DISTRICT
 PARKING REQUIRED: UNDER PREVIOUS PERMIT-EXISTING TO REMAIN. NO CHANGE OF USE

REVIEWED UNDER IBC 2006
 CONSTRUCTION IS TYPE VB- FULLY SPRINKLERED
 LEASE SPACE IS 1,770SF

NON-SEPARATE USES AS PER IBC-508.3.2
 B OCCUPANCY-HAIR SALON

OFFICE = 115 SF
RESTROOMS = 102 SF
SALON = 1,553 SF

GROSS AREA = 1,770 SF (@100SF/OCC) = 40 OCC.

RESTROOM REQUIRED PER IBC SECTION 2902.1 (1 PER 25 FOR FIRST 50 OCCUPANTS & 1 PER 50 OCCUPANTS FOR REMAINDER)
 RESTROOM FIXTURES REQUIRED: 1 PER GENDER IN COMMON AREA
 RESTROOM FIXTURES PROVIDED: 1 PER GENDER IN COMMON AREA

ROOM FINISH SCHEDULE